# **Safety Data Sheet**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Name: Hydrophilic Topcoat for P-413 Product Code: HL-300

MANUFACTURER: Heresite Protective TELEPHONE NUMBER: +1 (920) 684-6646
Coatings, LLC FAX NUMBER: +1 (920) 684-0110

822 S. 14th Street

Manitowoc, WI 54220, USA EMERGENCY PHONE: CHEMTREC

+1 (800) 424-9300

E-MAIL ADDRESS OF PERSON RESPONSIBLE:

peter@heresite.com

Product Use: Industrial and Commercial Coatings, primary application to metal.

Not recommended for: Any other application

# **SECTION 2: HAZARDS IDENTIFICATION**

#### **GHS Ratings:**

Flammable liquid 2 Flash point < 23°C and initial boiling point > 35°C (95°F)
Eye corrosive 2A Eye irritant: Subcategory 2A, Reversible in 21 days

#### Signal Word: Danger





# **GHS Hazards**

H225 Highly flammable liquid and vapour H319 Causes serious eye irritation

# **GHS Precautions**

P210 Keep away from heat/sparks/open flames/hot surfaces No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/light/equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

P337+P313 If eye irritation persists: Get medical advice/attention
P370+P378 In case of fire: Use CO2, dry chemical, or foam for extinction.

P403+P235 Store in a well-ventilated place. Keep cool

P501 Dispose of contents/container to in accordance with

local/regional/national/international regulations.

SDS for: HL-300 Page 1 of 7

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS** 

Chemical Name	CAS number	Weight Concentration %
Acetone	67-64-1	90.00% - 100.00%
Trade Secret		1.00% - 5.00%
Trade Secret		1.00% - 5.00%

# **SECTION 4 - FIRST AID MEASURES**

#### **General Advice**

If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

#### Inhalation

Remove to fresh air. If breathing has stopped, apply artificial respiration. If breathing is difficult, give oxygen if a qualified operator is available. Get medical attention.

# **Eye Contact**

Immediately flush eyes with large amounts of water for at least 20 minutes, while holding eyelids open. Obtain medical attention immediately, as a precaution.

#### Skin Contact

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Ingestion

If person is conscious, give them several glasses of water to drink. Do NOT induce vomiting unless directed to do so by medical personnel. Obtain immediate medical attention.

# Most important symptoms and effects, both acute and delayed

No information available

#### Indication of any immediate medical attention and special treatment needed

Consult a physician

# **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable extinguishing media

Carbon Dioxide, Dry Chemical, Foam

#### Unsuitable extinguishing media

None identified

# Special hazards arising from the substance or mixture

None identified

# Advice for firefighters

No data available

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay on the windward side.

Ensure adequate ventilation.

Keep away from ignition sources.

SDS for: HL-300 Page 2 of 7

Printed: 3/29/2021 at 3:20:31PM

#### **Environmental precautions:**

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Keep dirty washing solution for appropriate disposal.

# Methods and material for containment and cleaning up:

Ensure adequate ventilation and proper training.

Absorb with liquid-binding non combustible material (e.g. sand).

Clean the accident area carefully.

Send for recovery or disposal in suitable containers.

# Reference to other sections:

See Section 2, 7, 8 and 13

#### **SECTION 7: HANDLING AND STORAGE**

# Precautions for safe handling:

See Section 2

#### Conditions for safe storage:

Store in a well-ventilated place.

Keep cool.

Store with only compatible materials.

#### Specific end uses(s):

See Section 1

# SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Acetone 67-64-1	1000 ppm TWA; 2400 mg/m3 TWA	500 ppm STEL 250 ppm TWA	NIOSH: 250 ppm TWA; 590 mg/m3 TWA
Trade Secret	Not Established	Not Established	Not Established
Trade Secret	Not Established	Not Established	Not Established

# Additional information about design of technical systems:

Engineering controls should be used as a primary means to control exposures.

Make available emergency shower and eye wash at the workplace according to appropriate standards.

A workplace risk assessment must be carried out in order to determine the corrective engineering control and organizational measures and personal protective equipment.

No further data; see Section 7.

#### **Exposure controls**

#### Appropriate engineering controls:

No data available

# General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Take off immediately all contaminated clothing.

Launder work clothing regularly.

Wash hands before breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not eat, drink or smoke while working to limit potential ingestion of chemicals.

SDS for: HL-300 Page 3 of 7

#### **Personal Protective Equipment**

#### **Eye and Face Protection:**

Wear eye protection/face protection.

#### **Skin Protection:**

Wear protective gloves/protective clothing.

#### **Hand Protection:**

The glove material has to be impermeable and resistant to the product.

Due to missing tests no recommendation to the glove material can be given for the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation .

#### **Respiratory Protection:**

Engineering controls should be used as primary means to control exposures. Local exhaust ventilation is required unless used in a closed system. For laboratory use, handle in a lab fume hood.

If the applicable Occupational Exposure Level (OEL) is exceeded, wear a NIOSH certified respiratory protection equipment meeting US requirements (1910.134 Occupational Safety and Health Administration, Personal Protective Equipment, Respiratory Protection) with a protection factor sufficient to control exposures to below the OEL.

#### **Environmental Exposure Controls:**

See Section 6.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: No Data Found

Vapor Pressure: 174.8 mmHg

Vapor Density: 2.0

Specific Gravity 0.81

Freezing point: No Data Found

Boiling range: No Data Found

Evaporation rate: No Data Found

Explosive Limits: No Data Found

Autoignition temperature: No Data Found

Viscosity: No Data Found

Odor: No Data Found

Odor threshold: No Data Found

pH: No Data Found

Melting point: No Data Found

Solubility: No Data Found

Flash point: -4 F,-20 C

Flammability: No Data Found

Partition coefficient (n- No Data Found

octanol/water):

Decomposition temperature: No Data Found

Grams VOC less water: No Data Found

# **SECTION 10: STABILITY AND REACTIVITY**

# Reactivity:

No known hazards with respect to reactivity when handled and stored according to provisions.

#### **Chemical Stability:**

Stable under recommended storage and handling conditions.

#### Thermal decomposition / conditions to avoid:

Avoid exposure to heat, sources of ignition, and open flame. No decomposition if used according to specifications.

#### Possibility of hazardous reactions:

No data available

SDS for: HL-300 Page 4 of 7

#### Conditions to avoid:

High Temperatures.

Heat, flames and sparks.

See section 2.

#### Incompatible materials:

No further information available.

Heat/sparks/open flames/hot surfaces.

**Bases** 

Oxidizing agents

Reducing Agents

Phosphorus Oxychloride

#### Hazardous decomposition products:

In case of fire: Carbon Dioxide, Carbon Monoxide, Hydrocarbons

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# **Mixture Toxicity**

Oral Toxicity LD50: 130mg/kg Inhalation Toxicity LC50: 55mg/L

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.

Routes of Entry:

No Information Available

Exposure to this material may affect the following organs:

Eyes Central Nervous System Skin Respiratory System

**Effects of Overexposure** 

CAS Number Description % Weight Carcinogen Rating
None No Information Available

# **SECTION 12: ECOLOGICAL INFORMATION**

# **Toxicity:**

No ecotoxicological data for the substance itself are available.

# Persistence and degradability:

No further relevant information available.

# Bioaccumulative potential:

No further relevant information available.

#### Mobility in soil:

No further relevant information available

# Results of PBT and VPvB assessment:

No data available

#### Other adverse effects:

No further relevant information available.

# **Component Ecotoxicity**

Acetone

96 Hr LC50 Oncorhynchus mykiss: 4.74 - 6.33 mL/L; 96 Hr LC50 Pimephales promelas: 6210 - 8120 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 8300

mg/L

48 Hr EC50 Daphnia magna: 10294 - 17704 mg/L [Static]; 48 Hr EC50 Daphnia

magna: 12600 - 12700 mg/L

SDS for: HL-300 Page 5 of 7

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods:

Waste material must be disposed of I/A/W Federal, State & Local environmental control regulations. Incineration is a recommended technology. Empty containers must be handled with care due to product residue. Decontaminate containers prior to disposal. Do not heat/cut empty container with electric or gas torch.

# **SECTION 14: TRANSPORT INFORMATION**

#### **Environmental hazards:**

No information available

# Special precautions for users:

No information available.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not required, not intended to be carried in bulk tankers.

<b>Agency</b> IATA	Proper Shipping Name Paint	UN Number 1263	Packing Group	Hazard Class 3
IMDG	Paint	1263	II	3
USDOT	Paint	1263	II	3

# **SECTION 15: REGULATORY INFORMATION**

#### Classification:

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

# Clean Air Act

67-64-1 Acetone 90 to 100 %

#### Clean Water Act

- None

#### SARA Section 302

67-64-1

#### **OSHA Hazards**

- None
- None

# SARA 311/312

67-64-1 Fire Hazard, Chronic Health Hazard, Acute Health Hazard

# **SARA 313**

- None

#### TSCA (Toxic Substance Control Act)

Trade Secret 1 to 5 % 67-64-1 Acetone 90 to 100 %

SDS for: HL-300 Page 6 of 7

# TSCA (Toxic Substance Control Act) 8b

Trade Secret 1 to 5 %
Trade Secret 1 to 5 %
67-64-1 Acetone 90 to 100 %

Country	Regulation	All Components Listed
USA	New Jersey Right to Know	No
USA	Pennsylvania Right to Know	No
USA	Massachusetts Right to Know	No
AU	Australia inventory	No
CA	Canadian Domestic Substances List/Non-Domestic Substances List	No
EU	European inventory	No
JP	Japan inventory	No
CN	China inventory	No
Korea	Korean Existing and Evaluated Chemical Substances	No
NZ	New Zealand inventory	No
PH		No
Canada		No

#### **EU Risk Phrases**

# **Safety Phrase**

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

Trade Secret 1.0 - 5%


Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act, and Title 40 of the Code of Federal Regulations part 372.

# **SECTION 16: OTHER INFORMATION**

# **Hazardous Material Information System (HMIS)**

# HEALTH \* 2 FLAMMABILITY 3 PHYSICAL HAZARD 0 PERSONAL PROTECTION 0 PERSONAL PROTECTION 2 = MODERATE 3 = HIGH

# National Fire Protection Association (NFPA)



**DISCLAIMER:** The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Reviewer Revision

Date Prepared: 3/29/2021

Printed: 3/29/2021 at 3:20:31PM