# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Name: Brown Air Dry Phenolic Coating Spray Can Product Code: VR-554T

**MANUFACTURER : Heresite Protective** Coatings, LLC 822 S. 14th Street Manitowoc, WI 54220, USA

TELEPHONE NUMBER: +1 (920) 684-6646 FAX NUMBER: +1 (920) 684-0110

EMERGENCY PHONE: CHEMTREC +1 (800) 424-9300


## E-MAIL ADDRESS OF PERSON RESPONSIBLE: peter@heresite.com

Product Use: Industrial and Commercial Coatings, primary application to metal. Not recommended for: Any other application

## **SECTION 2: HAZARDS IDENTIFICATION**

#### **GHS Ratings:**

Flammable aerosol	2	Flammable aerosol class 2
Flammable liquid	2	Flash point < 23°C and initial boiling point > 35°C (95°F)
Skin corrosive	3	Reversible adverse effects in dermal tissue, Draize score: >= 1.5 < 2.3
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Mutagen	1B	Known to produce heritable mutations in human germ cellsSubcategory 1B, Positive results: In vivo heritable germ cell tests in mammals, Human germ cell tests, In vivo somatic mutagenicity tests, combined with some evidence of germ cell mutagenicity
Carcinogen	1A	Known Human Carcinogen Based on human evidence
Reproductive toxin	2	Human or animal evidence possibly with other information
Aspiration hazard	1	Aspiration Toxicity Category 1: Known (regarded)- human evidence - hydrocarbons with kinematic viscosity ? 20.5 mm2/s at 40° C.



P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P233	Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P251	Pressurized container – Do not pierce or burn, even after use
P264	Wash hands thoroughly after handling
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P331	Do NOT induce vomiting
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/ shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention
P332+P313	If skin irritation occurs: Get medical advice / attention
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use CO2, dry chemical, or foam for extinction.
P405	Store locked up
P412	Do not expose to temperatures exceeding 50 °C/122 °F
P403+P235	Store in a well-ventilated place. Keep cool
P501	Dispose of contents/container to in accordance with
	local/regional/national/international regulations.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Acetone	67-64-1	20.00% - 30.00%
Propellant	68476-86-8	20.00% - 30.00%
Propane	74-98-6	10.00% - 20.00%
VM&P	64742-89-8	5.00% - 10.00%
Mineral Spirits	8052-41-3	5.00% - 10.00%
Butane	106-97-8	1.00% - 5.00%
Iron Oxide	1309-37-1	1.00% - 5.00%
Magnesium Carbonate Hydrate	546-93-0	1.00% - 5.00%

## **SECTION 4 - FIRST AID MEASURES**

#### **General Advice**

If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

#### Inhalation

Remove to fresh air. If breathing has stopped, apply artificial respiration. If breathing is difficult, give oxygen if a qualified operator is available. Get medical attention.

#### Eye Contact

Immediately flush eyes with large amounts of water for at least 20 minutes, while holding eyelids open. Obtain medical attention immediately, as a precaution.

#### **Skin Contact**

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at

least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Ingestion

If person is conscious, give them several glasses of water to drink. Do NOT induce vomiting unless directed to do so by medical personnel. Obtain immediate medical attention.

## Most important symptoms and effects, both acute and delayed

No information available

Indication of any immediate medical attention and special treatment needed Consult a physician

# SECTION 5: FIRE-FIGHTING MEASURES

## Extinguishing Media

Suitable extinguishing media Carbon Dioxide, Dry Chemical, Foam Unsuitable extinguishing media None identified Special hazards arising from the substance or mixture None identified

### Advice for firefighters

No data available

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay on the windward side.

Ensure adequate ventilation.

Keep away from ignition sources.

#### Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Keep dirty washing solution for appropriate disposal.

Methods and material for containment and cleaning up:

Ensure adequate ventilation and proper training.

Absorb with liquid-binding non combustible material (e.g. sand).

Clean the accident area carefully.

Send for recovery or disposal in suitable containers.

# Reference to other sections:

See Section 2, 7, 8 and 13

# SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: See Section 2 Conditions for safe storage: Store in a well-ventilated place. Keep cool. Store with only compatible materials. Specific end uses(s): See Section 1

# SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits	
Acetone 67-64-1	1000 ppm TWA; 2400 mg/m3 TWA	500 ppm STEL 250 ppm TWA	NIOSH: 250 ppm TWA; 590 mg/m3 TWA	
Propellant 68476-86-8	Not Established	Not Established	Not Established	
Propane 74-98-6	1000 ppm TWA; 1800 mg/m3 TWA	See Appendix F: Minimal Oxygen Content	NIOSH: 1000 ppm TWA; 1800 mg/m3 TWA	
VM&P 64742-89-8	Z-1A TWA 300ppm /1350 mg/m3	Not Established	Not Established	
Mineral Spirits 8052-41-3	500 ppm TWA; 2900 mg/m3 TWA	100 ppm TWA	NIOSH: 350 mg/m3 TWA 1800 mg/m3 Ceiling (15 min)	
Butane 106-97-8	Table Z-1 limits for Air Contaminants- 1910.1000 TWA 800ppm/1900 mg/m3	1000 ppm STEL	NIOSH: 800 ppm TWA; 1900 mg/m3 TWA	
Iron Oxide 1309-37-1	10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)	5 mg/m3 TWA (respirable fraction)	NIOSH: 5 mg/m3 TWA (dust and fume, as Fe)	
Magnesium Carbonate Hydrate 546-93-0	PEL *5mg/m3 * respirable	TLV 10mg/m3	NIOSH: 10 mg/m3 TWA (total dust, listed under Magnesite); 5 mg/m3 TWA (respirable dust, listed under Magnesite)	

## Additional information about design of technical systems:

Engineering controls should be used as a primary means to control exposures.

Make available emergency shower and eye wash at the workplace according to appropriate standards.

A workplace risk assessment must be carried out in order to determine the corrective engineering control and

organizational measures and personal protective equipment.

No further data; see Section 7.

## **Exposure controls**

## Appropriate engineering controls:

No data available

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Take off immediately all contaminated clothing.

Launder work clothing regularly.

Wash hands before breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not eat, drink or smoke while working to limit potential ingestion of chemicals.

## **Personal Protective Equipment**

## Eye and Face Protection:

Wear eye protection/face protection.

## Skin Protection:

Wear protective gloves/protective clothing.

#### Hand Protection:

The glove material has to be impermeable and resistant to the product.

Due to missing tests no recommendation to the glove material can be given for the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation . **Respiratory Protection:** 

Engineering controls should be used as primary means to control exposures. Local exhaust ventilation is required unless used in a closed system. For laboratory use, handle in a lab fume hood.

If the applicable Occupational Exposure Level (OEL) is exceeded, wear a NIOSH certified respiratory protection equipment meeting US requirements (1910.134 Occupational Safety and Health Administration, Personal Protective Equipment, Respiratory Protection) with a protection factor sufficient to control exposures to below the OEL.

#### **Environmental Exposure Controls:**

See Section 6.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: No Data Found Vapor Pressure: 310.0 mmHg Vapor Density: 2.3 Specific Gravity 0.72 Freezing point: No Data Found Boiling range: No Data Found Evaporation rate: No Data Found Explosive Limits: No Data Found Autoignition temperature: No Data Found Viscosity: No Data Found Odor: No Data Found Odor threshold: No Data Found pH: No Data Found Melting point: No Data Found Solubility: No Data Found Flash point: 1 F,-17 C Flammability: No Data Found Partition coefficient (n- No Data Found octanol/water): Decomposition temperature: No Data Found Grams VOC less water: No Data Found

# SECTION 10: STABILITY AND REACTIVITY

#### Reactivity:

No known hazards with respect to reactivity when handled and stored according to provisions.

#### **Chemical Stability:**

Stable under recommended storage and handling conditions.

#### Thermal decomposition / conditions to avoid:

Avoid exposure to heat, sources of ignition, and open flame. No decomposition if used according to specifications.

# Possibility of hazardous reactions:

No data available.

# Conditions to avoid:

High Temperatures.

Heat, flames and sparks.

See section 2.

# Incompatible materials:

No further information available.

Heat/sparks/open flames/hot surfaces. Bases Oxidizing agents Reducing Agents Phosphorus Oxychloride Strong Oxidizing Agents Heat, sparks, open flames and hot surfaces.

Strong Oxidizers Extremes of temp Chloroformates Peroxides Strong Acids Hazardous decomposi In case of fire: Carbon I	tion pr	oducts:			
		SECTION	11: TOXICOLO	GICAL INFORM	ATION
Mixture Toxicity Inhalation Toxic Component Toxicity 64742-89-8	VM&F	)	g (Mouse) Dermal L	D50: 3,000 mg/kg	(Rabbit) Inhalation LC50: 5,000 ppm
8052-41-3		al Spirits D50: 5 g/kg (Rat)	Dermal LD50: 5 g/	kg (Rat)	
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Routes of Entry: Inhalation Ingestion Exposure to this material may affect the following organs:					
Eyes Kidn	eys	Lungs	Central Nervou	us System	Skin Respiratory System
Effects of OverexposureRepeated exposuremay cause skindryness or cracking					
<u>CAS Number</u> 68476-86-8		Description Propellant		<u>% Weight</u> 20 to 30%	<u>Carcinogen Rating</u> Propellant: EU REACH: Present (K)
64742-89-8		VM&P		5 to 10%	VM&P: EU REACH: Present (P)
8052-41-3		Mineral Spirits		5 to 10%	Mineral Spirits: EU REACH: Present (P)
106-97-8		Butane		1 to 5%	Butane: EU REACH: Present (C) (containing >=0.1% Butadiene)

# SECTION 12: ECOLOGICAL INFORMATION

### Toxicity:

No ecotoxicological data for the substance itself are available.

#### Persistence and degradability:

No further relevant information available.

# Bioaccumulative potential:

No further relevant information available.

### Mobility in soil:

No further relevant information available

#### Results of PBT and VPvB assessment:

#### No data available

Other adverse effects:

No further relevant information available.

Component Ecotoxicity	
Acetone	96 Hr LC50 Oncorhynchus mykiss: 4.74 - 6.33 mL/L; 96 Hr LC50 Pimephales promelas: 6210 - 8120 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 8300 mg/L 48 Hr EC50 Daphnia magna: 10294 - 17704 mg/L [Static]; 48 Hr EC50 Daphnia
	magna: 12600 - 12700 mg/L
VM&P	72 Hr EC50 Pseudokirchneriella subcapitata: 4700 mg/L
Mineral Spirits	Not toxic at limit of solubility LC/EC/IC50 > 1000mg/L Freshwater Fish, Invertebrates and Algae

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods:

Waste material must be disposed of I/A/W Federal, State & Local environmental control regulations. Incineration is a recommended technology. Empty containers must be handled with care due to product residue. Decontaminate containers prior to disposal. Do not heat/cut empty container with electric or gas torch.

## **SECTION 14: TRANSPORT INFORMATION**

Environmental hazards:

No information available

#### Special precautions for users:

No information available.

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not required, not intended to be carried in bulk tankers.

<u>Agency</u> IATA	<u>Proper Shipping Name</u> Aerosols, flammable	<u>UN Number</u> 1950	<u>Packing Group</u> None	Hazard Class 2.1
IMDG	Aerosols	1950	None	2.1
USDOT	Aerosols, flammable	1950	None	2.1

# **SECTION 15: REGULATORY INFORMATION**

## Classification:

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

## **Clean Air Act**

106-97-8Butane1 to 5 %74-98-6Propane10 to 20 %67-64-1Acetone20 to 30 %

Clean Water Act

SARA Section 302 67-64-1

OSHA Hazards 1309-37-1 Iron Oxide 1 to 5 % Irritant - None

# SARA 311/312

1309-37-1 Acute Health Hazard 64742-89-8 Fire Hazard, Acute Health Hazard 67-64-1 Fire Hazard, Chronic Health Hazard, Acute Health Hazard

## **SARA 313**

- None

## TSCA (Toxic Substance Control Act)

8052-41-3 Mineral Spirits 5 to 10 % 64742-89-8 VM&P 5 to 10 % 68476-86-8 Propellant 20 to 30 % 67-64-1 Acetone 20 to 30 %

## TSCA (Toxic Substance Control Act) 8b

546-93-0 Magnesium Carbonate Hydrate 1 to 5 % 1309-37-1 Iron Oxide 1 to 5 % 106-97-8 Butane 1 to 5 % 8052-41-3 Mineral Spirits 5 to 10 % 64742-89-8 VM&P 5 to 10 % 74-98-6 Propane 10 to 20 % 68476-86-8 Propellant 20 to 30 % 67-64-1 Acetone 20 to 30 %

Country	Regulation	All Components Listed
USA	New Jersey Right to Know	No
USA	Pennsylvania Right to Know	No
USA	Massachusetts Right to Know	No
AU	Australia inventory	No
CA	Canadian Domestic Substances List/Non-Domestic Substa	No
EU	European inventory	No
JP	Japan inventory	No
CN	China inventory	No
Korea	Korean Existing and Evaluated Chemical Substances	No
NZ	New Zealand inventory	No
PH	Philippine The Toxic Substances and Hazardous and Nuclear Waste Control Act	No
Canada		No
EU Risk Phrase	<u>es</u>	

### Safety Phrase

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act, and Title 40 of the Code of Federal Regulations part 372.

# **SECTION 16: OTHER INFORMATION**

Hazardous Material Information System (HMIS)

National Fire Protection Association (NFPA)



**DISCLAIMER:** The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Date Prepared: 10/22/2021

**Reviewer Revision**